

Scott A. Nesvold

PE

Principal & Senior Director



Scott Nesvold is a Principal at Engineering Systems Inc. (ESi) providing expert consultation in forensic structural engineering and fire protection engineering. He is routinely retained to investigate structural failures, damage, and performance issues associated with fires, explosions, construction activities, and other catastrophic events involving residential, commercial, industrial, agricultural, and historic structures.

Mr. Nesvold's work focuses on damage assessment, causation analysis, and evaluation of structural and life safety system performance following loss events. His expertise includes analysis of structural response to fire exposure, thermal effects, and explosion overpressure, as well as investigation of fire protection and fire alarm system performance, failures, and code compliance.

Mr. Nesvold has investigated conditions ranging from serviceability concerns to partial and total structural collapse. These investigations have involved fire and thermal damage, corrosion and material deterioration, settlement and earth movement, construction defects, overstress, and failures associated with construction operations and temporary conditions. He is also experienced in the evaluation, rehabilitation, and retrofit of historic buildings and structures, developing repair strategies that address structural safety while considering preservation requirements. Rope access techniques are utilized when necessary to evaluate severely damaged or otherwise inaccessible structures.

Education

Master of Engineering, Fire Protection, University of Maryland, College Park, MD. 2009

M.S. Structural Engineering, University of Minnesota, Minneapolis, MN. 2005

B.S. Civil Engineering, South Dakota State University, Brookings, SD. 2003

Contact Information

sanesvold@engsys.com

(952) 454-8273

ESi Minnesota

2355 Polaris Lane North
Suite 120, Plymouth, MN 55447

Areas of Specialization

- Construction Accidents
- Construction Defects
- Code Interpretation & Compliance Evaluation
- Damage & Causation Analysis
- Fire Alarm Systems
- Fire & Explosion Effects
- Fire Suppression Systems
- Forensic Fire Protection Engineering
- Forensic Structural Engineering
- Historic Structures
- Standard of Care Evaluation
- Structural Failure & Collapse
- Repair & Retrofit Design
- Rope Access Investigations

Licenses & Certifications

- State of Arizona P.E. License 54653
- State of Florida P.E. License 88175
- State of Idaho P.E. License P-20102
- State of Illinois P.E. License 062.076385
- State of Iowa P.E. License P25673
- State of Louisiana P.E. License PE.0048933
- State of Massachusetts P.E. License 50327
- State of Michigan P.E. License 6201058897
- State of Minnesota P.E. License 45923
- State of Missouri P.E. License 2013008874
- State of Montana P.E. License PEL-PE-LIC-90960
- State of Nebraska P.E. License E-18586
- State of North Dakota P.E. License PE-8725
- State of South Dakota P.E. License 11236
- State of Texas P.E. License 140384
- State of Utah P.E. License 13504605-2202
- State of Vermont P.E. License 018.0085918
- State of Wisconsin P.E. License 44002-6

Positions Held

Engineering Systems Inc., Plymouth, Minnesota

- Principal & Senior Director, 2023 – Present
- Senior Managing Consultant & Director of Building Sciences, 2019 – 2022

Crane Engineering, Plymouth, Minnesota

- Manager, Building Science, Structural/Fire Protection Engineer, 2012 – 2018

Olson & Nesvold Engineers, Bloomington, Minnesota

- Vice President/Principal Engineer/Co-Founder, 2009 – 2012

Opus Architects & Engineers, Minnetonka, Minnesota

- Structural Engineer, 2006 – 2009

University of Minnesota, Minneapolis, Minnesota

- Research Fellow/Assistant, 2004 – 2006

Banner Associates, Inc., Brookings, South Dakota

- Structural Engineer, 2003

University of Delaware, Newark, Delaware

- Undergraduate Researcher, 2002

Kansas Department of Transportation, Topeka, Kansas

- Bridge Construction Inspector and Engineering Technician, 2001

Bolton & Menk, Inc., Sleepy Eye, Minnesota

- Engineering Technician I, 2000 – 2001

St. Boni Fire Department, St. Bonifacious, Minnesota

- Captain, Safety Officer, 2005 – 2010

Continuing Education

- **40 Hour Hazardous Waste Site Worker Training Course (HAZWOPER)**
- **Sprinkler Inspection & Testing Workshop**, National Training Center, 2025
- **Silent Knight Fire Alarm Systems**, Programming and Installation, Honeywell, 2021
- **ASCE 59-11 Blast Protection of Buildings**, Blast-resistant Design of Systems, and Components, 2016
- **Fire-Lite Fire Alarm Systems**, Programming and Installation, 2015
- **Firefighter II**, National Board of Fire Service Professional Qualifications
- **Firefighter I**, National Board of Fire Service Professional Qualifications
- **Fundamentals of Fire Investigation**, IAAI, Sayreville, NJ, 2013
- **NFPA workshop on ITM Frequencies**, Quincy, MA, 2012
- **National Fire Academy Course, Arson Detection for the First Responder**, United States Fire Administration, St. Cloud, MN, 2009

Professional Affiliations/Honors

American Society of Civil Engineers (ASCE)

- Member

American Institute of Steel Construction (AISC)

- Member

Society of Fire Protection Engineers (SFPE)

- International and Minnesota Chapter Member

International Association of Arson Investigators (IAAI)

- Member

National Fire Protection Association (NFPA)

- Technical Committee on Structures, Construction, and Materials (BLD-SCM; NFPA 5000 & 703)

National Association of Subrogation Professionals (NASP)

- Member

Selected Project Experience

Structural Failure and Collapse Investigations

Commercial Roof Collapse Due to Snow Load, Minnesota

- Investigated the collapse of roof trusses at a commercial building resulting from snow accumulation. Identified improper temporary support systems, inadequate bracing, and oversight failures as primary causes. Recommended corrective measures, stabilization strategies, and procedures for safe debris removal and reconstruction.

Concrete Floor Collapse During Demolition, Historic Armory, Minnesota

- Analyzed structural failure of concrete flooring at a historic armory during selective demolition. Investigation uncovered severe deterioration and corroded reinforcement causing structural collapse. Provided detailed damage assessments, stabilization recommendations, and structural repair guidelines.

Hog Confinement Facility Roof Collapse, Iowa

- Conducted a detailed structural investigation following the collapse of a wood-framed hog confinement building. Extensive corrosion of metal truss connector plates, exacerbated by poor ventilation, was identified as the primary cause. Advised on improving ventilation systems and structural maintenance practices.

Scaffolding Collapse at Urban Construction Site, Minnesota

- Examined scaffold system collapse resulting in multiple injuries. Determined inadequate anchorage spacing, improper anchor methods, and insufficient design against wind loads as root causes. Delivered comprehensive forensic analyses emphasizing noncompliance with anchoring standards and structural deficiencies.

Corrosion-Induced Collapse in Agricultural Facilities, Minnesota and Wisconsin

- Investigated collapses due to severe corrosion of structural connectors in agricultural facilities. Analysis detailed extensive deterioration due to corrosive environments and inadequate maintenance, advising on improved ventilation and maintenance procedures.

Agricultural Facility Damage Investigations (Multiple Locations)

- Performed comprehensive forensic assessments of agricultural facilities including grain storage bins, silos, grain elevators, grain legs, and associated structures. Investigations involved detailed analyses of damage resulting from dust explosions, grain fires, corrosion, structural deterioration, and construction defects.

Provided expert evaluations of structural integrity, identified causal factors contributing to facility damage, and developed targeted recommendations for repairs and preventive measures.

Construction Defect and Code Compliance Assessments

Airport Terminal Construction Deficiencies, Midwest International Airport

- Investigated severe construction defects at an international airport terminal. Evaluations focused on contractor adherence to industry standards and building specifications, revealing substantial deficiencies in concrete placement, drainage systems, and structural detailing. Provided forensic analysis and recommendations for significant remediation measures.

Residential Construction Defects Investigation, Minnesota

- Investigated reported defects in a residential property, assessing structural integrity, exterior cladding, moisture management, and window installations. Analysis revealed numerous issues stemming from noncompliance with industry standards. Recommended corrective actions to remediate structural deficiencies.

Apartment Complex Water Intrusion and Façade Defects, Minnesota

- Conducted detailed inspections revealing improper masonry veneer installations, faulty flashing, and inadequate water barriers. Provided a forensic analysis pinpointing specific construction errors and outlined remediation steps necessary to restore integrity and code compliance.

Explosion and Blast Damage Evaluations

Residential and Commercial Explosion Assessments (Multiple States)

- Conducted several hundred investigations into structural damage resulting from explosions, leveraging combined expertise in fire protection engineering and structural system behavior. Using overpressure wave properties, evaluations included analysis of propane, natural gas, and refinery-related explosions, determining the extent of blast-induced structural damages and distinguishing them from pre-existing conditions. Provided clear forensic evidence supporting causation analysis, structural integrity assessments, and scope of necessary repairs.

Natural Gas Explosion Impact on Commercial Property, Illinois

- Assessed structural integrity and cosmetic damage claims resulting from a nearby gas explosion. Analysis differentiated explosion-related damages from pre-existing structural conditions, utilizing detailed forensic techniques including crack pattern analysis, structural response assessments, and site condition documentation to determine accurate damage attribution.

Residential Property Explosion and Freeze Damage, Massachusetts

- Evaluated extensive structural damage and water intrusion in a residential building following a widespread gas explosion event. Detailed forensic inspection included damage mapping, structural integrity verification,

and analysis of resulting secondary damage from boiler failures and frozen pipes. Provided comprehensive findings clearly linking explosion-related damage and subsequent building system failures.

Residential Gas Explosion Damage Investigations, Pennsylvania

- Conducted detailed forensic evaluations of several dozen alleged property damage claims resulting from a nearby natural gas explosion during pipeline modernization work. The investigations included structural integrity assessments, detailed visual inspections, and blast wave analysis to distinguish explosion-related damages from pre-existing conditions and normal construction defects. Provided expert conclusions clarifying the scope of damage attributable to the incident, recommended targeted repairs, and identified unrelated maintenance issues and long-term deterioration.

Fire Safety System Investigations

Senior Living Apartment Fire Fatality Investigation

- Conducted a detailed forensic evaluation of the fire alarm system's operation and its impact on occupant response during a fatal apartment fire resulting in six deaths. Performed comprehensive system testing and reviewed alarm activation, programming, notification effectiveness, and occupant behavior. Determined that prematurely silencing the active alarm significantly delayed evacuation, directly contributing to multiple fatalities. Provided expert analysis on alarm system compliance, occupant notification procedures, and facility emergency response practices.

Hotel Fire Alarm System Failure and Extensive Water Damage, Iowa

- Analyzed repeated failures of a hotel's fire alarm system following fire incidents, resulting in severe water damage. Identified systemic failures and poor maintenance as critical factors. Provided recommendations to improve fire safety systems and compliance.

Hospital Sprinkler System Deficiencies, Indiana

- Investigated reported inadequacies in a hospital fire sprinkler system, identifying insufficient hanger spacing and inadequate system pressure. Confirmed code noncompliance, outlining necessary corrective actions for achieving full fire safety compliance.

Fire Sprinkler Pipe Failures Due to Environmental Stress Cracking (Multiple States)

- Performed detailed forensic investigations into multiple failures of CPVC fire sprinkler pipe systems in residential buildings across several states. Identified environmental stress cracking as a result of chemical incompatibility between the piping material and construction sealants used during installation. Provided expert analysis evaluating contractor standard of care, specifically addressing contractor responsibilities for proper material selection, chemical compatibility reviews, approval protocols, installation oversight, subcontractor management, and quality control practices.

Structural Damage from Environmental and Natural Causes

Marina Dock Damage from River Fluctuation, Iowa

- Evaluated structural damage to marina docks caused by fluctuating river levels. Identified insufficient design accommodating water-level variations, displacement of walkways, and compromised utilities. Recommended significant structural corrections and redesign.

Structural Instability of Park Pier, Wisconsin

- Investigated significant deterioration and structural instability of a park pier supported by aging timber and steel bin walls. Determined insufficient structural assessments and design flaws, providing detailed repair strategies and structural reinforcements.

Civil Infrastructure and Public Safety Evaluations

Railroad Bridge Vehicle Impact Assessment, Wisconsin

- Investigated significant damage to a railroad bridge caused by a vehicle impact, identifying structural displacements and integrity concerns. Provided thorough analysis, including repair assessments and structural reinforcement recommendations.

Water Tower Paint Failure Investigation, Minnesota

- Using rope access techniques, evaluated extensive paint delamination on a municipal water tower. Investigation determined normal environmental wear rather than storm impacts as the primary cause, advising on maintenance schedules and repainting requirements.

Miscellaneous Construction Evaluations

Residential Swimming Pool and Landscaping Defects, Wisconsin and Minnesota

- Investigated significant structural cracking, drainage issues, and soil settlement around residential pools. Determined inadequate site preparation, faulty construction techniques, and poor moisture management as primary causes. Recommended comprehensive repair and stabilization measures.

Balcony Guardrail Stability Evaluation, Minnesota

- Investigated reported looseness and movement in balcony guardrails at a high-rise building. Determined movement was due to inherent design characteristics rather than structural inadequacies. Provided detailed analysis, addressing occupant safety concerns and suggesting improvements in guardrail connections.

Publications

“Friction Characterization and Mitigation in Large-Scale 6DOF Multi-Axial Hybrid Simulation”, **S.A. Nesvold**, Earthquake Engineering & Structural Dynamics published by John Wiley & Sons Ltd, 2025.

“Commercial Property: Inspecting Hard to Reach Areas Quickly and Inexpensively”, **S.A. Nesvold**, Claims Journal, 2016.

“Incident Site Management – Managing and Documenting an Incident Scene”, **S.A. Nesvold**, J.R. Panko, Proceedings of the 7th Congress and Forensic Engineering, American Society of Civil Engineers, Reston, VA, pp. 589-599, 2015.

“Incident Site Management: The Importance of Managing and Documenting an Incident Scene”, **S.A. Nesvold**, Claims Journal, 2014.

“Detecting and Confirming the Presence of Road Flare Residue in Fire Investigations”, **S.A. Nesvold**, K.L. Pacholke, Proceedings of the 5th International Symposium on Fire Investigation Science and Technology, National Association of Fire Investigators, International, Sarasota, FL, pp. 495-506, 2012.

“Multi-Axial Subassemblage Testing (MAST) System,” C. E. French, C. K. Shield, J. F. Hajjar, A. E. Schultz, P. M. Bergson, D. J. Daugherty, C. P. Wan, D. W. Ernie, D. H. C. Du, **S.A. Nesvold**, University of Minnesota, Minneapolis, MN, USA, 2005.

Presentations

“Structural Condition Assessment – Knowing the Hazard of a Hazard”, **S.A. Nesvold**, presented at Minnesota Chapter IAAI Annual Training Conference, St. Cloud, MN, 2025.

“Structural Condition Assessment – Is That Building Safe?”, **S.A. Nesvold**, presented at Wyoming IAAI Chapter 2024 Conference, Laramie, WY, 2024.

“Unique Case Studies Involving Construction Defects on Complex Claims”, **S.A. Nesvold**, presented at 2023 Construction Super Conference, Hollywood, FL, 2023.

“Fire Protection Systems and Common Failures”, **S.A. Nesvold**, presented at Secura Insurance, Bloomington, MN, 2023.

“Fire Protection Systems and Common Failures”, **S.A. Nesvold**, presented at Travelers Insurance, St. Paul, MN, 2023.

“Multi-Story Wood Construction: Issues That Can Arise from Innovative Wood Products”, **S.A. Nesvold**, presented at the Construction Law Essentials (Special 2-Day Program): Sticks & Bricks PLUS Fundamentals, ABA Regional Seattle, Seattle, WA, 2021.

“From Uptown to Downtown: Issues Regarding Mixed-Use Multi-Level Construction”, **S.A. Nesvold**, presented at the North Dakota Defense Lawyers Association (NDDLA) – 2018 Annual Meeting and Seminar, Bismarck, ND, 2018.

“Technology You Need When Investigating a Loss”, **S.A. Nesvold**, presented at DRI’s Construction Law Committee, Nashville, TN, 2018.

“Don’t Let Your Sprinkler System Drain You”, **S.A. Nesvold**, presented at the Minnesota Chapter, Society of Fire Protection Engineers, Roseville, MN, 2018.

“Structural Condition Assessment – Is That Building Safe?”, **S.A. Nesvold**, presented at Colorado IAAI Annual Training Conference, Vail, CO, 2017.

“The Future has Arrived: New Construction Methods and Materials That Are Changing the Industry”, **S.A. Nesvold**, presented at Fox Valley Adjusters Association, Appleton, WI, 2017.

“Steer Your Experts in the Right Direction”, **S.A. Nesvold**, presented at the Defense Research Institute, Young Lawyers Conference, Austin, TX, 2017.

“Structural Condition Assessment – Knowing the Hazards of a Hazard”, **S.A. Nesvold**, presented at the Bureau of Alcohol, Tobacco, Firearms and Explosives – National Response Team Training, Redstone Arsenal, Huntsville, AL, 2017, Instructor.

“Effects of Fire on Structures – Is That Building Safe?”, **S.A. Nesvold**, presented at the Minnesota Structural Engineers Association (MNSEA), Golden Valley, MN, 2017.

“Structural Condition Assessment – Is That Building Safe?”, **S.A. Nesvold**, presented at the Minnesota Chapter International Association of Arson Investigators (IAAI), New Brighton, MN, 2016.

“Structural Condition Assessment – A Safety Course in the Effects of Fire and Explosions on Buildings”, S. A. Nesvold, presented at the Bureau of Alcohol, Tobacco, Firearms and Explosives – National Response Team, Huntsville, AL, 2016, Instructor.

“Trending Use of Experts in Product Liability Cases”, **S.A. Nesvold**, presented at the National Association of Subrogation Professionals Lit Skills Conference, Fort Lauderdale, FL, 2016.

“Bracing for Failure: A Case Study of Wood Truss Failures and the Responsibility of the Designers, Manufacturers and Installers”, **S.A. Nesvold**, presented at the North Dakota Defense Lawyers Association, 2015 Annual Meeting and Fall Seminar, Bismarck, ND, 2015.

“2015 Minnesota Codes & Historic Buildings”, **S.A. Nesvold**, presented at the Minnesota Historical Society, Minnesota History Center, St. Paul, MN, 2015.

“Incident Site Management – Managing and Documenting an Incident Scene”, **S.A. Nesvold**, presented at the ASCE Forensic Engineering 7th Congress, Miami, FL, 2015.

“Structural Shoring Short Course”, S. A. Nesvold, presented at the Bureau of Alcohol, Tobacco, Firearms & Explosives (ATF), Fire Research Laboratory, Ammendale, MD, 2015.

“MN Conservation Code (IEBC) 2015 & Historic Buildings”, **S.A. Nesvold**, presented at the AIA Minnesota – 80th Annual Convention, Minneapolis, MN, 2014.

“Historic Buildings – IFC, IBC, IEBC, 2014”, **S.A. Nesvold**, presented at the 2014 State Fire Marshal’s Conference, Minneapolis, MN, 2014.

“Incident Site Management and 3D Laser Scanning Applications”, **S.A. Nesvold**, presented at the Associated General Contractors (AGC) Technology and New Product Fair, St. Louis Park, MN, 2014.

“Incident Scene Documentation”, S. A. Nesvold, presented at the Twin Cities Claims Association (TCCA) Winter Conference, Bloomington, MN, 2014.

“The Value of a Multidisciplinary Approach to Complex Facility and Product Liability Cases”, **S.A. Nesvold**, presented at the Larson King, Saint Paul, MN, 2013.

“Incident Site Management”, **S.A. Nesvold**, presented at the Associated General Contractors (AGC) Safety Committee, Saint Paul, MN, 2013.

“Incident Site Management”, **S.A. Nesvold**, presented at the North Dakota Defense League (NDDLA), Bismarck, ND, 2013.

“Forensic Engineering & Architecture”, **S.A. Nesvold**, presented at the University of Minnesota, Minneapolis, MN, 2013.

“Historic Preservation and Life Safety”, **S.A. Nesvold**, presented at the AIA Minnesota – 78th Annual Convention, Minneapolis, MN, 2012.

“Detecting and Confirming the Presence of Road Flare Residue in Fire Investigations”, **S.A. Nesvold**, presented at the International Symposium of Fire Investigators, NAFI, University of Maryland-College Park, MD, 2012.

“Fire Protection Systems: How to Manage the Risk”, **S.A. Nesvold**, presented at the Collier’s College, Minnetonka, MN, 2012.

“What is Fire Protection Engineering?”, **S.A. Nesvold**, presented at the Hennepin County Government Center, Minneapolis, MN, 2011.

“What is Structural Engineering?”, **S.A. Nesvold**, presented at the University of Minnesota, CE1101, Minneapolis, MN, 2010.